



09736829.121300



**FIG. 1**  
(Prior Art)


05260130



**FIG. 2**  
(Prior Art)


**Table 1**

Parameter	Value
$\alpha_0$	0.001
$\beta_0$	0.001
$\gamma_0$	0.001
$\delta_0$	0.001
$\epsilon_0$	0.001
$\zeta_0$	0.001
$\eta_0$	0.001
$\theta_0$	0.001
$\phi_0$	0.001
$\chi_0$	0.001
$\psi_0$	0.001
$\omega_0$	0.001
$\nu_0$	0.001
$\mu_0$	0.001
$\lambda_0$	0.001
$\kappa_0$	0.001
$\iota_0$	0.001
$\jmath_0$	0.001
$\kappa_0$	0.001
$\lambda_0$	0.001
$\mu_0$	0.001
$\nu_0$	0.001
$\omega_0$	0.001
$\phi_0$	0.001
$\chi_0$	0.001
$\psi_0$	0.001
$\theta_0$	0.001
$\eta_0$	0.001
$\zeta_0$	0.001
$\epsilon_0$	0.001
$\delta_0$	0.001
$\gamma_0$	0.001
$\beta_0$	0.001
$\alpha_0$	0.001




**FIG. 3**  
(Prior Art)

Figure 1. Schematic representation of the experimental design. The subjects were divided into two groups: the control group (CG) and the experimental group (EG). The CG was divided into two subgroups: the control group (CG) and the control group (CG). The EG was divided into two subgroups: the experimental group (EG) and the experimental group (EG). The CG was divided into two subgroups: the control group (CG) and the control group (CG). The EG was divided into two subgroups: the experimental group (EG) and the experimental group (EG).



**FIG. 4**  
(Prior Art)


**Abstract**




**FIG. 5**  
(Prior Art)

**FIG. 6**  
(Prior Art)

093630 4 THE NEW YORK PUBLIC LIBRARY AST LENOX TILDEN FOUNDATIONS



**FIG. 7**




**FIG. 8**


**FIG. 9**




**FIG. 10**



**FIG. 11**




**THE UNIVERSITY OF CHICAGO**



**FIG. 12**

**FIG. 13**

[illegible]

**FIG. 14**